

# MID-RISE SCISSORS SMART LIFT

TRD MID-RISE SCISSORS LIFT MODEL TO004-LRM IS DESIGNED WITH HYDRAULIC LOCKING SYSTEM, AND DOUBLE ENTRANCE TWO-STAGE DRIVE-IN RAMPS WHICH ARE SUITABLE FOR MOST VEHICLES, ESPECIALLY LOWER CHASSIS CARS.



T0004-LRM

## **SCISSOR LIFT**

### **FEATURES**


#### PRODUCTS

- · Lifting capacity: 4000kg;
- Mid rise scissors lift, 24V Safety voltage control.
- Dual hydraulic synchronization & hydraulic locking system;
- The lifting scissors are made of thickened steel which is more strong; Adjustable lift platform length, applicable to vehicles with different wheelbases; Two-stage drivein ramps, suitable for lifting ultra-low chassis vehicles; Flexible structure design, users can choose either flush mount or surface mount
- installation;
- TRD global 5-3-2 warranty policy:
- 5 year Warranty on Steel Components,
- 3 year Warranty on Hydraulic Parts,
- 2 years Warranty on Electrical





Both 1 1/2" and 3" height rubber pads included as standard supply



Adjustable lift plataform length, applicable to vehicles with different wheelbases.



Dual hydraulic synchronization and hydraulic locking system.

Two-stage drive in ramps, suitable for lifting ultra-low chassis vehicles

#### **SPECIFICATIONS**

**PRODUCTS** 

MODEL		T0004-LRM
Lifting Capacity		4000kg
Lifting Time		29S
Max. Lifting Height	А	1200mm
Minimum Height	В	135mm
First Stage Ramp Height	С	65mm
Overall Length(Inc. ramps)	D	3980mm
Overall Width	Е	1950mm
Width Between Runways	F	750mm
Runway Length	G	1560-1960mm
Gross Weight		811kg
Motor		3.0HP

